

www.roland.com

PK-6
DYNAMIC PEDALBOARD

Switch *on* the
EXCITEMENT




- 13 velocity sensitive pedal keys
- 4 live performance modes
- Easy user interface
- MIDI merge function
- Battery operation

Roland

Switch on the Excitement

Put the excitement and versatility of live performance with full MIDI control within your reach. The PK-6 Dynamic Pedalboard is an impressive MIDI Controller that enables you to virtually control any MIDI function during live performance. The PK-6 lets you play a variety of sounds from any external MIDI device, leaving your hands free to play your favorite musical instrument like guitar, bass, keyboard or accordion.



Location: BB Disco Dinner (Cupra Marittima, AP, Italy).

- The PK-6 is equipped with 13 velocity sensitive pedal keys spanning the chromatic range of an entire octave.
- With the PK-6 you have One-foot operation of four separate performance modes: MONO, POLY, DRUM and MIDI CONTROLLER.
- The PK-6 has an easy and comfortable User Interface including a 3x7 segments display.
- Using the HOLD, OCTAVER BASS and PORTAMENTO switches, you can hold a note, add a note to that played in the lowest octave and go from one note to another in a progressive way .
- An EXTERNAL PEDAL socket is provided for connecting an optional expression pedal, pedal switch, continuous pedal or foot switch freely assignable to several controllers
- The PK-6 is equipped with a PK-OUT socket for direct connection to instruments equipped with a PK-IN socket for MIDI communication and Power Supply.
- The PK-6 can also either be powered by batteries or an optional AC adaptor.

PK-6
DYNAMIC PEDALBOARD



PK-6 SPECIFICATIONS

Pedalboard

13 velocity sensitive keys.

Modes

MONO, POLY, DRUM, MIDI CONTROLLER.

Functions

Hold.
Octaver Bass On/Off, Octaver value.
Portamento On/Off, Portamento Time.
Transpose.
Octave.
Program Change Tx.
Velocity on/off (Fixed Programmable value).
Key Touch (Light, medium, heavy).
Real Time Backing Controller.
External pedal assign.
MIDI merge,

Controls

MONO.
POLY.
DRUM.
MIDI CONTROLLER.
HOLD.
OCTAVER BASS.
PORTAMENTO.
SHIFT.
POWER.

Connectors

EXTERNAL PEDAL jack (Switch/Expression, programmable), PK OUT Jack, MIDI connectors (IN, OUT, THRU), DC IN Jack.

Power supply

AC adaptor.
Via PK cable.
Dry batterie (LR6 (AA) type) x6.

Current Draw

130 mA (DC 9 V).

Dimensions

598 (W) x 478 (D) x 118 (H) mm, 23-9/16 (W) x 18-7/8 (D) x 4-11/16 (H) inches.

Weight

8.8 kg / 19 lbs 7 oz.

Accessories

Owner's Manual, Dry batterie (LR6 (AA) type) x6, PK cable, MIDI cable.

Options

AC adaptor (PSB-1U), DP-series/BOSS FS-5U foot switch, Roland EV-series expression pedal.



Side view.



Battery holder.



Rear Panel.



Front panel.



Download a QR scanner application for your Smartphone and scan this image to instantly access the relevant web page.

www.roland.com

RAM 4749 RAMRES 817-11 605.00.0250

Note: in the interest of product improvement, the specifications and/or appearance of this unit are subject to change without prior notice.

 **Roland**